

follow



www.offmax.com.hk

offmax[®]

Offmax Limited 奧美斯傢具有限公司
Offmax Supplies Co., Ltd 奧美斯洋行

Hong Kong Head Office / Showroom* 香港總辦事處 / 展廳

10/F., North Point Industrial Building, 499 King's Road, North Point, Hong Kong

香港北角英皇道499號, 北角工業大廈10樓

Tel 電話 : (852) 2838 3830 Fax 傳真 : (852) 2553 0088

Email 電郵 : enquiry@offmax.com.hk

*Please make appointment before visiting our showroom

*如欲參觀, 敬希預約


Shanghai Sales Office 上海辦公室

Tel 電話 : (86) 021-6167 3668

All rights reserved. Any reproduction or modification in any form or by any means without prior written permission is illegal and strictly prohibited.
本冊版權為奧美斯所有, 未經書面同意, 任何單位或個人不得以任何方式或理由使用、複製、修改、抄錄或傳播圖冊內述的任何部分。

With continuous product development, design and specification are subjected to possible modification without prior notice.
為不斷改良產品質量, 設計及規格日後若有更改, 恕不另外通知。





follow

仿佛身体，没有了重量
翩然入座，Follow 总能给您完美的承托
即使久坐，也感觉不到丝毫压力

As if your body feels no weight.
The Follow chair automatically conforms to your every
movement and distributes your weight evenly.
It is designed to support your body perfectly while you are sitting on it.
Pressure never catches up when you sit in Follow,
no matter how long you spend.





follow

丰富面料色彩，为办公室带来新气象。
Abundant fabric color options make your office an eye-catching place to be.





产品配置表 PRODUCT CONFIGURATION TABLE

面料&颜色 Materials & Colors

LS标准系列真皮: 7色 LS Standard Leather: 7colors



MSS三明治网: 7色 MSS (Sandwich Mesh): 7colors



真皮类: 可用于座面; 三明治网: 可用于椅背; 布类: 可用于座面
Leather: Applicable to seat cushion and backrest; MSS: Applicable to backrest; Cloth: Applicable to seat cushion.

WDE英国羊毛布: 3色 WDE: 3 colors



SPC珠地布: 5色 SPC piqué: 5 colors



真皮类: 可用于座面; 三明治网: 可用于椅背; 布类: 可用于座面
Leather: Applicable to seat cushion and backrest; Sandwich mesh: Applicable to backrest; Cloth: Applicable to seat cushion.

椅脚 Base



白色尼龙脚
White Nylon Base



黑色尼龙脚
Black Nylon Base



拉丝封釉铝合金脚
Brushed and Glazed Aluminum Alloy Base

椅轮 / 脚垫 Casters/Glides



灰色尼龙轮
Grey Nylon Casters



黑色尼龙轮
Black Nylon Casters



黑色固定脚垫
Black Fixed Glides



白色固定脚垫
White Fixed Glides

扶手 Armrests



灰色PU白色尼龙龙升降扶手
White Nylon Adjustable
Armrests with Grey PU Pads



黑色尼龙龙升降扶手
Black Nylon Adjustable
Armrests



黑色PU白色尼龙龙升降扶手
White Nylon Adjustable
Armrests with Black PU Pads



无扶手
No Armrests



“零压力”大 S 型椅背设计

/// 思尚独立开发的专利技术, 可使椅背给使用者带来强烈的包裹感, 令背部压力分布更加均匀, 接触面受到的压强更小, 压力差接近于“零”。

“Zero Pressure” S-curved Backrest

/// ASIS' s patented backrest design gives you a strong sense of being cradled. You will feel "zero pressure" as it equally distributes the pressure around your back and reduces the intensity of surface contact.



防曲张仿生座垫

/// 久坐易引起腿部静脉曲张, Follow 创新的防曲张仿生座垫, 独有弹力边缘, 更贴合腿部曲线, 可使腿部血液循环更加通畅, 同时清爽透气, 即使久坐亦能保持健康舒适。

Anti-varicosity Cushion

/// Sitting for a long time often causes discomfort and possibly varicose veins. Follow's innovative anti-varicosity cushion has a unique elastic edge, which perfectly accommodates leg curves, allowing smooth blood flow while maintaining freshness and coolness. Even if you sit down for a long time, Follow can always keep you healthy and comfortable.




“舒仰”双调节智能同步倾仰机构

/// 思尚专利技术, 为 Follow 所独有, 坐垫和靠背配合人体同步运动, 达到最舒适的倾仰状态, 同时保持您的坐姿正确、舒适。

“Comfortable Tilting” Double-adjustment Design

/// ASIS's patented technology, unique in Follow. The backrest and cushion automatically and simultaneously adjust to your body's movements, attaining utmost reclining comfort and ensuring an accurate sitting posture.



零按键提拉扶手

/// 零按键设计, 升降随心, 可停留于任意高度, 扶手面采用仿生材料, 模拟人体肌肤, 柔软而富有弹性。

No-button Lifting Armrest

/// ASIS's no-button, lift-and-lock design allows users to effortlessly lift the armrest and stop it at any height. The surface of the armrest is made of soft and elastic materials with the texture of human skin.



“灵触”智能线控机构

/// 新一代高灵敏度智能制动线控系统, 升降、倾仰灵敏锁定, 一触倾心。


“Smart Touch” Tilt-by-wire Mechanism

/// A new generation of high sensitivity intelligent wire system allows you to go up and down, lean back and forth, lock and unlock with just one control.

Overview

规格尺寸 Specifications

FOLLOW



FO60N-111-B



FO60W-333-W



FO60B-111-B



FO60H-333-W



FO60H-111-W



FO60B-171-B



FO60W-373-W



FO60B-171-B